



PUBLIC WORKS COMMITTEE

TUESDAY, MAY 15, 2018– 4:30PM

CITY HALL CONFERENCE ROOM 2A

AGENDA

1. Meeting called to order by Chairperson Flower
2. Roll Call
3. Comments from the public as allowed by Wis. Stats. §19.84(2), limited to items on this agenda. Comments will be limited to 5 minutes
4. Approve the regular Public Works Committee meeting minutes from March 20, 2018 as prepared and distributed
5. Director of Public Works Report Regarding:
 - a. Public Works Department Fully Staffed Days
 - b. White River Disc Golf Bridge Replacement Project
 - c. 2018 Street Improvement Project
 - d. Main Street Reconstruction Project
 - e. Visitor Center Construction Project
 - f. Cemetery Personnel
 - g. Bloomfield Road Project (*carried forward from March 20, 2018 Public Works Committee Meeting; Presented by City Administrator Oborn*)
 - h. Closed Circuit Television Installation at West End Pier (*Update from Police Chief Rasmussen and IT Director Miskie*)
 - i. Riviera Plaza Lighting update from Beautification Committee
6. Discussion/Recommendation regarding Occupancy Permit filed by AT&T to be used at Main Street and Broad Street
7. Discussion/Recommendation regarding request made by Flat Iron Tap for an Outside Dining Area
8. Parking Manager Update Regarding Parking Initiatives
9. Discussion/Recommendation regarding Alley Vacation between 234 Broad St and 244 Broad St (*Request made by the Downtown Business Improvement District*)
10. Discussion/Recommendation regarding placement of Shade Structure at Skate Park/Dunn Field

11. Discussion/Recommendation regarding bleachers to be placed in the City Skate Park
12. Discussion/Recommendation regarding the purchase of the fluid drive coupler replacement for the Public Works current Vac-All unit in the amount of \$5,550.00
13. Discussion/Recommendation regarding the quotes for the purchase of a new Vac-All unit for the Public Works Department, to replace current one, with funds from the Equipment Replacement Fund
14. Discussion regarding the implementation of Bike/Pedestrian Plan within the City's Asset Management Process
15. Future Agenda Items
16. Adjourn

*This is a meeting of the Public Works Committee.
No official Council action will be taken; however, a quorum of the Council may be present.*

Agenda posted 5/11/2018

cc: Aldermen, Mayor, Administrator, Attorney

**PUBLIC WORKS COMMITTEE MINUTES
TUESDAY, MARCH 20, 2018 – 4:30 P.M.
CITY HALL, MEETING ROOM 2A**

Meeting was called to order by Ald. Kordus at 4:30 p.m.

Roll call: Present: Alderman Kordus, Hedlund, Straube and Flower. **Absent:** Ald. Skates **Also present:** City Administrator Oborn, DPW Earle, Parking Manager Mullally and Greg Governatori of Kapur & Associates Inc. **Members of the public present:** Nicole Pease, 1116 Geneva Street; Sean Payne, representative of Horticultural Hall

Comments from the public limited to 3 minutes.

Nicole Pease would like to know when the alternate routing of the semi-trucks is going to start? She is concerned that the semi-trucks are coming down Geneva Street.

Approval of the regular Public Works Committee meeting minutes from February 20, 2018 as prepared and distributed.

Flower/Hedlund motion to approve with amendments as discussed. Passed 4-0.

Director of Public Works Report

Earle reported that the alternate detour signs for the Main Street Reconstruction project were put up today and through traffic is now being directed North on Maxwell to Highway H, then to Sheridan Springs Road and N Edwards Blvd, back to Highway 50. He drove the route and found one sign on Maxwell Street facing East instead of North which will be changed tomorrow. The project is currently a week and a half ahead of schedule. 2018 Streets are on this agenda and Greg Governatori will talk to that. The Street Improvement list will be covered with the Bloomfield Road item but there are some problems with the current list as some potential developments will impact when these roads are repaved. Earle went over the options for Main Street and its intersections. Flower mentioned the potential for funding for some of the roads. Earle said there could be a potential for grants but he spoke to WISDOT and was informed that state funding is not likely. He restated that he would not recommend starting any road reconstruction projects in the Fall. Flower would like the list of roads in a map format. Earle detailed the permit requests from AT&T and WE Energies who are requesting to do work including open cuts on Center Street which he has denied as it would conflict with the detour route for the Main Street Reconstruction Project. Earle contacted Bloomfield Township as they share ownership of Bloomfield Road with us and this road is badly in need of repair. Bloomfield Township said they do not have the money for the repairs. Earle detailed on the map in the packets how the ownership is split back and forth so that it would not make sense to do just our portions of the road. White River Disc Gold Bridge is an agenda item for later in the meeting. The WIS 120 Reconstruction Project is due to start in April and there is a Business & Resident Meeting scheduled for Tuesday March 27th in the Council Chambers at City Hall. This will be for information purposes only. Earle has received the detour from the State for the N Como Bridge work which they have gone back and forth on due to all the upcoming construction work in this area. The following projects are all starting soon; the HWY 50/US12 bridges, the N Como Road Bridge, HWY H is being closed from Pioneer Estates to Genoa City and traffic is being redirected to HWY 120. Earle gave information regarding a large boat that is being transported to be launched on the lake at Buttons Bay. They have requested an occupancy permit to leave a crane in the road and then a road closure whilst the boat is being launched. This crosses multiple jurisdictions and our PD have spoken with Linn Township's PD already. The boat is too tall to be launched by a gantry crane at Gage Marine. Lastly, Earle updated on snow event costs which have been drastically reduced to around \$7,900 per event because we have streamlined routes and stopped the use of sand/salt and implemented the use of brine.

Parking Manager Report

Mullally gave a presentation on the parking facilities that the City currently has and gave suggestions on where the number of stalls could be increased. She said that there are a lot of underutilized parking areas but people complain that there is a lack of parking because they want to park in the prime downtown areas. The areas that she is working on are adding parking inventory, implementing an employee parking initiative, improving pedestrian safety and enhancing the walking experience. She talked about some ideas that she has like a FitBit challenge. Mullally said she is looking for any interest from the PWC in pursuing any of these areas. Flower asked about the use of the shuttle service that the City provide. Mullally said that people want to park close so they don't have to carry their stuff around and also there are no entities helping to advertise the shuttle service. Flower said she would be interested in following up the extra stalls on Wrigley. Straube said the block of Geneva between Cook and Broad should have a sign saying compact cars only. Kordus said this needs to be an ordinance change.

Discussion/Recommendation on two hours free parking during the Main Street Water Main and Reconstruction Project

Straube recused herself as she is a business owner in downtown Lake Geneva. Kordus said that the estimated loss of revenue if this was implemented is \$130K and it would need to go to FLR to draft a resolution to balance the budget. Flower is not in favor of this as the council is already going out of their way to do the construction work outside of the busiest time of year and we are already well into the project. Kordus agreed and said residents have a 2 hour parking sticker anyway. Discussion was had regarding the signage in place. No action taken.

Discussion/Recommendation on amendment to Conditional Use Permit filed by Seam Payne on behalf of the Horticultural Hall, 330 Broad Street, Lake Geneva, WI 53147 to amend the existing site plan in conjunction with the existing Conditional Use Permit for the Farmers Market use from April to October every Thursday

Sean Payne said the Farmer's Market actually runs from May to October not April to October. Earle said he is in favor of this change and the details have all been discussed. Oborn said this is really a win/win situation and everyone loves having the Farmers market. Originally they could only sell fruits and vegetables but this is being broadened. Payne said that there is no intention for this to become a Flea Market. It's not a resale market and the sellers have to produce it themselves, make it and then sell it. Flower said she heard it's more like a flea market and she would prefer it remain just fruit, veg and baked goods.

Hedlund/Kordus motion to amend the Conditional Use Permit filed by Seam Payne on behalf of the Horticultural Hall, 330 Broad Street, Lake Geneva, WI 53147 to amend the existing site plan in conjunction with the existing Conditional Use Permit for the Farmers Market use from May to October every Thursday Passed 3-1. Flower voted no.

Discussion/Recommendation on amendments to Park Donation Policy and Fee Schedule *(approved by Board of Park Commissioners February 28, 2018)*

Kordus explained that this has already been approved by the Park Board and it is a change to the fee schedule so that costs are listed as "actual cost" rather than a specific dollar amount. Earl said we have already taken a hit with a park bench and we are just trying to prevent that happening again. Oborn stated that the Park Board are able to approve amounts up to \$2,500 but anything over that would come to PWC. Hedlund/Flower motion to approve changing the Park Donation Policy and Fee Schedule to show actual cost. Passed 4-0.

Discussion/Recommendation on awarding the 2018 Street Improvement Project to Payne & Dolan Inc for the base bid amount of \$292,244.27 plus any alternates selected

Greg Governatori of Kapur & Associates said we have \$435K left in the budget for 2018 but the lowest bid comes in higher than this if all five of the alternatives are approved plus night work would be an additional cost of \$5K. Wrigley Drive and lower Broad Street are included in the base bid to be done in the fall. Earle will do mill and overlays in the fall but total reconstructs must be started in the spring. They are looking at lower Broad and Wrigley being done at night which is the additional \$5K cost. Earle would prefer to leave some breathing room in the budget. Kordus noted that Earle has a priority list and we could approve a dollar amount and let him work through his list. Main Street is not included in this as that road does not show up on our inventory. Flower thinks we should consider moving Wrigley Drive into 2019. Discussion followed. Wrigley would be a three day project. Earle said if we move it to 2019 then the downtown businesses have three consecutive years of disruption instead of giving them a year off in between. The consensus has always been to take good care of these roads as we have so much use of them for festivals etc. Flower wants a better plan of when the roads are actually going to be repaved and a map would be better than a list. Earle said LRIP money won't be available until 2019. More discussion was had on Wrigley Drive and the consensus was to leave it on for 2018. Mill and overlays are not so affected by the weather. Hedlund/Flower motion to award the 2018 Street Improvement Project to Payne & Dolan Inc. for the base bid amount of \$292,244.27 plus any alternates selected up to a total amount of \$425,000. Passed 4-0.

Discussion/Recommendation on reconstructing and repaving the intersection of Cook/Main to coincide with the Main Street Water Main and Reconstruction Project

Earle is not in favor of this as it will add another week to the project. Although it will be more expensive to do this intersection by itself later on, he feels that this year is not the time to do it given the feedback already received. Flower asked if this was in the original plan. Earle said no, the utility work is being done from Cook to Broad but the repaving is stopping to the west of Cook Street. Discussion followed. Straube asked if this intersection could be done in the Fall. Earle said yes and then once it is done it leaves the 700 and 800 blocks of Main Street to be done at one time with the intersections at Cook and Center open to traffic. Flower asked about staging. Earle said the cost is 30% higher and you don't gain anything as there would still be no parking. Earl recommends this intersection be done in the spring of 2019. No action taken.

Ald. Hedlund left at 6:15pm.

Discussion/Recommendation on flashing signals in the downtown area of Main Street *(continued from February 20, 2018 PWC meeting)*

Kordus said the idea is to change the timing of the flashing signals so that they are switched back to cameras earlier in the morning. Parked cars affect visibility but no cars should be parked until 6am. Earle was directed to contact Tapco to change the timing of the lights to switch back to cameras starting at 6am. This would change the lights at Center/Main, Broad/Main and Cook/Main.

Discussion/Recommendation on renewal of TAPCO contract including Video Detection Maintenance for 2018/2019

Flower asked if this is proprietary. Earle said he hasn't been able to get other companies to bid on it once they know Tapco installed the lights. The price has increased slightly over the 2017 price. Kordus/Flower motion to approve. Passed 3-0.

March 20, 2018 Public Works Minutes

Discussion/Recommendation on the Equipment Replacement Fund 2018 Budget Amendment

Oborn said that this committee is dealing with just the cemetery and public works component but FLR would be dealing with all of it. Kordus said this is on here because they need to make a decision on buying a lawnmower for the cemetery and had asked for more detail on the complete Equipment Replacement Fund. Flower asked if anyone ever looks at the equipment list to see if costs can be saved by making changes to the equipment itself. Earle confirmed that they do look at that and they also push back items that do not need to be replaced yet. They do have some pickup trucks that they received from the Utility and old police cars that need to be added to the list for replacement. Flower asked about the equipment they were looking at to plow Library Park. Earle is going to bring that back to PWC with prices for the 2019 budget as previously requested. No action taken.

Discussion/Recommendation on Cemetery Equipment Replacement Schedule and the purchase of a riding lawnmower for the cemetery *(continued from February 20, 2018 PWC meeting)*

Earle explained the urgent need for this new lawnmower. Discussion was had regarding why the Equipment Replacement Fund is not approved at the same time as the Budget. They are separate funds. This lawnmower was on a ten year schedule but needs to be on a seven year schedule going forward. Kordus/Flower motion to replace the riding lawnmower at the cemetery up to a value of \$6,000. Passed 3-0.

Discussion/Recommendation on awarding the bid for Landscaping Maintenance for the 2018, 2019 & 2020 Seasons including Addendum #1 to Breezy Hill Nursery in the amount of \$61,090.07

Earle said we only got one bid but it is a competitive bid and he recommends approval including the addendum.

Flower/Straube motion to approve the award of the bid for Landscaping Maintenance for the 2018, 2019 & 2020 Seasons including Addendum #1 to Breezy Hill Nursery in the amount of \$61,090.07. Passed 3-0.

Discussion/Recommendation on change order #2 from Sonrise Construction for the White River Disc Golf Course Bridge Replacement Project in the amount of \$3,500.00

Earle explained that there is a section of the river that is not the original path and a boring test has been recommended by the engineer. When a pit bore was done gravel was found at 3 or 4 feet. Screw augers are being recommended if we do not do the soil boring test and these cost about \$6-8K each. This is just a pedestrian bridge that has not caused problems in the past. We have managed to avoid having to do the wetland delineation. Giles have looked at the river bottom and the results of the pit bore and think that a spread footing will most likely still be ok or maybe the bridge would need to be extended but we have to do the soil borings before they can say for sure.

Flower/Straube motion to approve change order #2 from Sonrise Construction for the White River Disc Golf Course Bridge Replacement Project in the amount of \$3,500.00. Passed 3-0.

Adjournment

Flower/Straube motion to adjourn at 6:38pm

/s/ Jo Busch, Utility Office Manager

THESE MINUTES ARE NOT OFFICIAL UNTIL APPROVED BY THE PUBLIC WORKS COMMITTEE

RE: City of Lake Geneva Permit App & Sketch att#A015394

REESE, ROBERT W [rr9124@att.com]

Sent: Friday, April 27, 2018 3:42 PM**To:** Tom Earle**Cc:** Office Manager [uofficemanager@genevaonline.com]; Neil Waswo; lgh2odirector@genevaonline.com; Building and Zoning Administrator; Building and Zoning Clerk; GRINDE, SCOTT A [sg5813@att.com]

Good Afternoon Tom,

The reason for the placement of the fiber is to provide a fiber based service for a customer located at 101 Broad St. The customer due date for service is past due. AT&T would like to start work as soon as possible. Proposed start date of 5/7 and complete date 5/11. AT&T has 2 different proposals. The first one is our original request. The scope of this request is to open cut & place a 3 duct package main st. from the NE corner of Main St & Center St. intersection approximately 110' south to the east side terrace area of Center St. From this point AT&T will continue south & bore and place this duct package approximately 60' in the terrace to the Alley, the alley would be open cut 50', the remaining 60' will be trenched to our manhole in the east side terrace area of Center St. Then AT&T will open cut & place 2 ducts from this manhole across Center St. & approximately 140' into the alley to another AT&T manhole.

The placement of the 2 different sections of duct packages will need to be placed regardless. This is due to our existing duct packages connecting these manhole spans are blocked and possibly collapsed at certain points. Presently, we do not have any open maintenance ducts in either span. So, it is critical that AT&T places the new duct packages.

The 2nd proposal would to locate the damaged ducts in both spans and dig up and repair these ducts. This could be in multiple locations. This would be a temporary solution and would provide the customer their fiber service.

AT&T can provide a representative to attend this meeting.

Any questions, please give me a call,

Thanks,

Robert Reese

Manager-OSP Planning & Engineering Design
AT&T Technology Operations, MW Engineering Outstate WI

AT&T

411 7th St., Racine, WI 53403
o 262.636.0542 | m 847.212.4930 | rr9124@att.com

MOBILIZING YOUR WORLD

From: Tom Earle <tearle@cityoflakegeneva.com>

Sent: Wednesday, April 25, 2018 9:14 AM

To: REESE, ROBERT W <rr9124@att.com>

Cc: Office Manager <uofficemanager@genevaonline.com>; Neil Waswo <nwaswo@cityoflakegeneva.com>;

lgh2odirector@genevaonline.com; Building and Zoning Administrator <bzadmin@cityoflakegeneva.com>;
Building and Zoning Clerk <bzclerk@cityoflakegeneva.com>
Subject: RE: City of Lake Geneva Permit App & Sketch att#A015394

Mr Reese,

Per our phone conversation this morning;

As you know due to the Main St construction the City has postponed approving any permits downtown in the ROW. If you would like you can submit to me a detailed explanation of why this project is important and I will present it to the Public Works Committee for their consideration at the next opportunity.

Please include;

Reason job must be performed
Time line
Scope (how big of a presence ATT will have downtown)
Detailed project plan

ATT may want to have a representative attend the meeting in case there are questions I cannot answer. I can forward the meeting particulars when they are available.

Thanks.

Tom Earle, Director.
City of Lake Geneva Department of Public Works
1065 Carey St. Lake Geneva WI. 53147
(262)248-6644
fax (262)248-4913

NOTICE: This e-mail and any files attached with it may contain information that is privileged, confidential and exempt from disclosure. The communication is intended for the sole use of the individual or entity to which it is addressed. Dissemination, forwarding, printing or copying of this email and any files transmitted with it without the consent of the sender is strictly prohibited. If you have received this email in error, please notify the sender, delete the email and do not use, disclose or store the information it contains.

From: Tom Earle
Sent: Monday, March 12, 2018 12:04 PM
To: rr9124@att.com
Cc: Office Manager; Neil Waswo; lgh2odirector@genevaonline.com; Building and Zoning Administrator; Building and Zoning Clerk
Subject: FW: City of Lake Geneva Permit App & Sketch att#A015394

Robert,

Unfortunately the route you are proposing is part of a Detour Route permitted by WisDOT for the City's STH50/Main St project. The reconstruct is scheduled to be complete the end of May.

At this time I am unable to approve this permit.

WE has postponed the second phase of their replacement project until fall, that may be an avenue you want to look into.

We can discuss more via telephone if you wish, thanks.

Tom Earle, Director.
City of Lake Geneva Department of Public Works
1065 Carey St. Lake Geneva WI. 53147
(262)248-6644
fax (262)248-4913

NOTICE: This e-mail and any files attached with it may contain information that is privileged, confidential and exempt from disclosure. The communication is intended for the sole use of the individual or entity to which it is addressed. Dissemination, forwarding, printing or copying of this email and any files transmitted with it without the consent of the sender is strictly prohibited. If you have received this email in error, please notify the sender, delete the email and do not use, disclose or store the information it contains.

From: REESE, ROBERT W [<mailto:rr9124@att.com>]
Sent: Monday, March 12, 2018 9:43 AM
To: ucofficemanager@genevaonline.com
Subject: City of Lake Geneva Permit App & Sketch att#A015394

Hi Barb,

Here is a permit app. and sketch. You will receive payment of the permit fees in 5 to 7 business days.

Thanks,

Robert Reese
Manager-OSP Planning & Engineering Design
AT&T Technology Operations, MW Engineering Outstate WI

AT&T
411 7th St., Racine, WI 53403
o 262.636.0542 | m 847.212.4930 | rr9124@att.com

MOBILIZING YOUR WORLD

CITY OF LAKE GENEVA
PUBLIC WORKS & UTILITIES

PERMIT #

PROJECT NO.: A015394

CONSTRUCTION PERMIT

(SIDEWALKS, DRIVEWAYS, STREET OPENINGS, STORM SEWERS, SANITARY SEWER,
CURB CUT, TREES, RIGHT-OF-WAY OCCUPANCY/EXCAVATION, BARRICADE & PARKING METER RENTAL)

APPLICANT: AT&T Robert Reese (SERVICE PERFORMED FOR) PHONE: 262-636-0542
LOCATION: MAIN ST & Center St. (SERVICE ADDRESS) DATE: 3-12-18

CURRENT CERTIFICATE OF INSURANCE ON FILE:
CURRENT MAINTENANCE BOND ON FILE:

From 4/2/18 thru 4/6/18 new cut
DATES & WORK BEING PERFORMED STREET
& PLC CONDUIT

PERMIT ISSUED FOR:

* (IB) <input type="checkbox"/> SIDEWALK		X	N/C		N/C
* (IBZ) <input type="checkbox"/> CURB CUT/DRIVEWAY APPROACH	ea.	X	\$10.00		\$10.00
* (IB) <input type="checkbox"/> RIGHT-OF-WAY EXCAVATION	ea.	X	\$10.00		\$10.00
* (IB) <input type="checkbox"/> STORM SEWER CONNECTION	ea.	X	\$10.00		\$
* (IB) <input type="checkbox"/> SANITARY SEWER CONNECTION	ea.	X	\$10.00		\$
* (I) <input type="checkbox"/> RIGHT-OF-WAY OCCUPANCY		X	N/C		N/C
* (I) <input type="checkbox"/> PARKWAY TREE PLANTING/PRUNING/REMOVAL		X	N/C		N/C
* (I) <input type="checkbox"/> PARKING METER HOOD DEPOSIT	ea.	X	\$25.00	**\$	
* (I) <input type="checkbox"/> PARKING METER SPACE RENTAL				(RENTAL FEE SENT TO CITY - DATE: _____)	

Bag/Key #'s	NOV 1 - APR 30/\$2.00 PER DAY	# of spaces	# of days	X	\$2.00	\$
	MAY 1 - OCT 31/\$4.00 PER DAY	# of spaces	# of days	X	\$4.00	\$
DATE RETURNED	Meter # (s): _____ or Location: _____					

- ADMINISTRATION FEE - METER HOODS ea. X \$10.00
- BARRICADE RENTAL CHARGE (\$10/DAY/EACH) \$
- UTILITY PLAN REVIEW (\$25 MINIMUM FEE) \$
- OTHER CHARGEABLE USES \$ 25.00

*INSURANCE (I), BOND (B), ZONING (Z), PERMIT REQUIRED

INV # _____ TOTAL DUE \$ 45.00
CHECK# _____ AMOUNT PD \$ _____

OTHER CONDITIONS & REQUIREMENTS:

- ZONING PERMIT REQUIRED
- BUILDING PERMIT REQUIRED
- SIDEWALK RAMP REQUIRED (CITY FUNDED)
- TRAFFIC CONTROL PLAN REQUIRED
- BARRICADE, SAFETY CONE AND OR CAUTION BARRICADE TAPE REQUIRED
- EXCAVATION PLAN ATTACHED
- HOMEOWNER AFFIDAVIT
- ADDITIONAL REQUIREMENTS:

I HEREBY AGREE TO PERFORM ALL CONSTRUCTION WORK WHICH IS THE SUBJECT TO THE PERMIT IN ACCORDANCE WITH THE MOST RECENT EDITION OF THE STANDARD SPECIFICATIONS FOR WATER & SEWER MAIN CONSTRUCTION IN WISCONSIN, THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION IN WISCONSIN, THE WISCONSIN DEPARTMENT OF NATURAL RESOURCES, PUBLIC SERVICE COMMISSION OF THE STATE OF WISCONSIN, & LAKE GENEVA MUNICIPAL CODE.

CONTRACTOR INFORMATION

COMPANY NAME: Intercon PHONE: 608-712-3024
STREET ADDRESS: 5512 STATE RD 19
Waunakee WI 53597
CITY STATE ZIP CODE


SIGNATURE: Robert Reese APPROVAL/SIGNATURES DATE: 3-12-18
CONTRACTOR / OWNER PERMIT ISSUED BY: _____ DATE: _____
CITY OF LAKE GENEVA

METER HOOD DEPOSIT REIMBURSEMENT

** I acknowledge return of deposit in the amount \$ _____ (CHECK# _____) (CASH)
Signed by: _____ Date: _____

CC: FILE	BLDG INSP	CITY HALL	DPW, KENT, MIKE, MAR	FIRE	LENON BUS	METER	POLICE	STREET	WATER	WWTF
FAX #	248-0420	248-4715	248-0589	248-2264	248-8447	248-4715	248-4809	248-4913	248-0589	248-1570
PHONE #	248-3911	248-3873	248-2311	248-6075	248-3289	248-3873	248-4455	248-6644	248-2311	248-2394

- 1 2-PC-4" 284' EXISTING AT&T
- 2 1-SP-3"265' EXISTING AT&T
- 3 1-IPP-2"-60' EXISTING AT&T
- 4 1-GIP-3"-82' EXISTING AT&T
- 5 2-PVC-4"-49' EXISTING AT&T
- 6 2-PC-4"-49' EXISTING AT&T
- 7 2-PC-4"-167' EXISTING AT&T
- 9 2-PC-4"-223' NEW AT&T
- 10 AT&T BURIED CABLE
- 11 AT&T BURIED CABLE
- 12 AT&T BURIED CABLE
- 13 AT&T BURIED CABLE
- 14 1-SP-3"-2' EXISTING AT&T
- 15 1-SP-4"-42' EXISTING AT&T



CITY OF LAKE GENEVA
PERMIT SKETCH
AT&T PROJECT#A015394
T2N R17 S36 NW 1/4

PROJECT #	A015394
ENGR.: REESE, ROBERT	
PHONE #: 2626360542	PERMIT REQ'D. Y
PRINT /	

5/7/2018
D&D Restaurant Group

PROPOSAL FOR OUTSIDE DINING AREA


To Whom It May Concern:


D & D Restaurant Group, Inc, DBA Flat Iron Tap, proposes to buy or lease from the City Parcel 4, Part of Block 30, Plat of the City of Lake Geneva, Walworth County, Wisconsin (see attached diagram). The area will be utilized as an outside dining area for the Flat Iron Tap.

The space is 40' x 50' and is currently occupied by a large electrical box, 4 parking stalls, and existing concrete steps off the building which is Parcel 3 (totaling 6' x 22'), which is currently occupied by Flat Iron Tap and Lake Geneva Tattoo (see Sheets 1-3).

The space would be used for an outside dining area - with a patio, awning and greenery - to beautify the space and expand the Flat Iron Tap's seating capacity. We believe this arrangement will be beneficial to all parties: the Flat Iron Tap will gain several new tables and a charming new work space, and the City will gain by beautifying the downtown area, increasing foot traffic, and generating more revenue.







Electrical Box 72" x 42"
Concrete Pad 96" x 84"


PARCEL 4
40' x 50'

PARCEL 3
22' x 50'

EXISTING CONCRETE

Existing 4 Stall
Parking area

16' WIDE
ALLEY



Shelters are another way to provide shade for your area, and furnishings such as seating, tables, and amenities add to any site.



Copyright 2018 by Miller and Associates | [Privacy Statement](#) | [Terms Of Use](#)

A



Shade Walks - Shade Systems

10 of 11

FW: Skate Park Shelter Budgets for Skate Park

Greg Odden [gregodden@glen-fern.com]

Sent: Wednesday, March 21, 2018 3:08 PM


To: Neil Waswo

Hi Neil,

Forwarding this to you as discussed.

Thanks.

Gregory E. Odden; LEED AP, CCM



705 Madison Street, Suite 101
Lake Geneva, WI 53147

Ph: 262-203-7034
Cell: 262-745-3044
Fax: 262-546-1457

Corinthians 13:13 Three things will last forever—faith, hope, and love—and the greatest of these is love.


From: Greg Odden
Sent: Tuesday, March 13, 2018 6:01 PM
To: Tom Earle <tearle@cityoflakegeneva.com>
Subject: Skate Park Shelter Budgets for Skate Park

Hello Tim and Neil,

I have reviewed the drawings you provided and have put some numbers to the page as to the estimated cost for the shelters based on the sketch drawing you provided.

Ⓐ Shade Walk Shelter: Located along the entry walk coming from the west.
Total cost including purchase of awning unit. \$7,980.00 incl. install

- a. Includes layout and auguring two holes for concrete pier base. Holes to be 24" diameter and 4'-0" deep. Includes rebar reinforcement per plan.
- b. Remove spoils from site.
- c. Install steel base posts per plan, install shelter unit as provided by Miller and Associates.
- d. Clean up and remove all waste and debris generated by our work



H OF PAGE 644, RFR#-00005
THE EXTENSION OF PROPERTY
DAYS AN EXCEPTION IN VOL
AND REFERRED TO INVOL
SINCE A 40' STRIP OF LAND
SQUARE FOOTAGE REFERRED
77 VOL 644 PAGE 6358

My Map

WALWORTH COUNTY, WISCONSIN

1 inch = 63 feet

Map Produced on: 2/20/2018


Author:
Wisconsin State Plane Coordinate System, South Zone
Horizontal Datum: NAD83

Walworth County Information Technology Department
Land Information Division

1500 County Park Drive
Bellevue, Wisconsin 53121-1001

FOR MORE INFORMATION CONTACT THE GIS DEPARTMENT AT 262.840.2200
WWW.WALWORTHCOUNTY.WI.GOV





PO Box 154
Prairie du Sac, WI 53578

www.MillerSaukPrairie.com

Office 608.643.8105
800.953.8700
Fax 608.643.7932

BUDGET QUOTATION

Date: February 28, 2018
To: City of Lake Geneva Street Department
Attn: Neil Waswo
Project: Picnic Tables, Portable Benches, Bleacher

QTY.	MODEL/DESCRIPTION	AMOUNT
Tables & Benches:		
-1-	(PT-HG06) 6' Heavy Duty Picnic Table w/ Aluminum Seats & Top With 2-3/8" Galvanized Steel Understructure	\$ 700.00
-1-	(BE-PG06) 6' Portable Bench w/Aluminum Seat & Back With 2 3/8" Galvanized Steel Understructure (Legs)	\$ 390.00
	Total Shipping of (1) Table & (1) Bench to Lake Geneva	\$ 385.00
3-Row Bleacher Unit:		
-1-	(3R19A-3) JW Industries 3 Row x 19' Non-Elevated Bleacher With Single Foot Plank No Risers Net Seating Capacity: 32 per unit	\$2,125.00
Alternate:		
-1-	(3R19A-1) JW Industries 3 Row x 19' Non-Elevated Bleacher With Double Foot Plank Risers below Rows 2 & 3 Net Seating Capacity: 32 per unit	\$2,395.00
	Total Shipping of One Bleacher to Lake Geneva	\$ 250.00

Terms: Net 15 From Invoice Date
(We apply a surcharge of 3% on all credit card purchases.)

FOB: Lake Geneva, WI
Quote Valid: Budget Quote Only. Please contact us for exact pricing as your project moves forward.

*******NOTE*******

- Pricing **DOES NOT INCLUDE** any applicable tax.
- Materials will be shipped via common carrier. The purchaser is responsible for receiving (off loading) and storage of all materials. Any damages or shortages must be noted on the bill of lading at the time of receiving the materials.

Ty Calkins
Sales Representative

H OF PARCEL ARR#-00005
THE EXTENSION OF PROPERTY
ON AN EXTENSION IN VOL
AND REFERRED TO INVOL
SINCE A 40' STRIP OF LAND)
SQUARE FOOTAGE REFERRED
77 VOL 544 PAGE 8358.

Shelter A
← existing Bleachers

B
Shade

ZOP 00000A

C

My Map

WALWORTH COUNTY, WISCONSIN

Map Produced on: 2/20/2018
Wisconsin State Plane Coordinate System, South Zone
Horizontal Datum: NAD83

**Wisconsin State Information Technology Department
Land Information Division**

5000 County Trunk RD
Elkhart, Wisconsin 53121-0001

1 inch = 83 feet

0 12.5 25 50 75 100 feet

Author:
Map Produced on: 2/20/2018
Wisconsin State Plane Coordinate System, South Zone
Horizontal Datum: NAD83

**Wisconsin State Information Technology Department
Land Information Division**

5000 County Trunk RD
Elkhart, Wisconsin 53121-0001

WISCONSIN STATE INFORMATION TECHNOLOGY DEPARTMENT
LAND INFORMATION DIVISION
5000 COUNTY TRUNK RD
ELKHART, WISCONSIN 53121-0001
TEL: 920.833.3333 FAX: 920.833.3334
WWW.WISCONSINSTATE.IGIS.WISCONSIN.GOV

B BRUCE EQUIPMENT

N60 W15835 Kohler Lane
 Menomonee Falls, WI 53051
 262-252-4744 • 800-252-4799
 Fax: 262-252-3955

Ship To: CITY OF LAKE GENEVA
 1065 CAREY 53147

Invoice To: CITY OF LAKE GENEVA
 626 GENEVA ST
 LAKE GENEVA WI 53147

Branch 02 - BRUCE MUNICIPAL		
Date 04/24/2018	Time 7:44:32 (O)	Page 1
Account No LAKEG001	Phone No 2622483673	Est No 01 000616
Ship Via	Purchase Order 04242018	
Tax ID No		
	Salesperson 135	

ESTIMATE EXPIRY DATE: 05/24/2018

PARTS ESTIMATE - NOT AN INVOICE

Part#	Description	Qty	Price	Amount
3141-0021D	TRANS FLUID CPL	1	6900.00	6900.00
			Subtotal:	6900.00
			Tax:	.00
			TOTAL:	6900.00

Authorization: _____

no shipping
~~\$5550~~

bearing
~~#~~ 9063-0035
 \$70.00

VAC-All Service Egypt. fluid drive and bearing
 \$5550.00
 shipping included

Quality Environmental Solutions and Support



MACQUEEN EQUIPMENT GROUP

Replacement of;
1998 IHC 4900 Vac-All
DT 530 Navistar, tandem axle.
63000 miles
12000+ hrs
10,000+ on auxiliary unit.

This unit is the primary machine for cleaning the 1200+ catch basins in the City. It also doubles as a leaf machine in tight areas and cds's.

As the replacement can not only perform catch basin maintenance, it can also sweep streets through a regenerative air principal and it is my hope to have the replacement machine not only perform the regular Vac-All duties, but to replace one of the Elgin Pelicans as well. This would save us replacing one of the Pelicans at an expense of over \$200,000.00 in 2023.

The existing auxiliary unit has experienced several issues over the years. Many nuisance electrical issues present themselves almost daily, including starting and charging issues. Murphy switches have been replaced several times. In addition, the Fluid-Drive coupler is damaged to the tune of a \$5600.00 repair, not including labor.

The cab and chassis are typical of a 20 year old unit. Rust is taking over frame and body parts, and the City recently paid over \$8000.00 for head, fuel rack and cylinder wall issues. We also experience many fuel and electrical issues on a daily basis. Seals on the hopper are daily maintenance items as well as the doors.

Replacement considerations include;

Schwarze Monsoon A9 regenerative air unit.

Johnston VT651

Elgin Mega Wind

Currently there is \$285,000.00 allocated for this machine in the Equipment Replacement Fund. It is scheduled to be replaced in 2018.





R.N.O.W., Inc.
 8636R West National Avenue
 West Allis, WI 53227

QUOTATION

Quote Number: 2018-3416
 Quote Date: Mar 6, 2018
 Page: 1

Voice: 414-541-5700
 Fax: 414-543-9797

Quoted To:

CITY OF LAKE GENEVA
 361 W. MAIN STREET
 LAKE GENEVA, WI 53147
 U.S.A.

Accepted By: _____

Sign above to accept quotation and place order

Customer Fax:

Customer ID	Good Thru	Payment Terms	Sales Rep
LAKE GENEVA WI	4/5/18	DUE ON DELIVERY	KJW

Quantity	Item	Description	Unit Price	Amount
1.00	INTERNATIONAL CHASSI	INTERNATIONAL 4300 SBA 4X2 CHASSIS PER THE ENCLOSED SPECIFICATIONS SUPPLIED BY SCHWARZE INDUSTRIES	80,712.00	80,712.00
1.00	S-A9 MONSOON	SCHWARZE A9 MONSOON REGENERATIVE AIR SWEEPER with all standard equipment plus the following options: ----- - 140 hp John Deere Tier IVF - Standard w/rubber blast orifice pick up head - Sweep Head Deluge (Must Pick Standard Head) - Gutter Broom, Dual - Gutter Broom, Tilt Power Dual - Gutter Broom, GEO Dual - Standby, Full w/Throttle Ramp - Variable Speed Gutter Broom(S) - 10 point remote grease manifold - Dual Camera System - Water Tank, Standard 250G - Water Tank, W/ Add. 350G total of 600	172,333.00	172,333.00

Thank you for the opportunity to quote

SUBMITTED BY


Steven D. Krall
 President

Subtotal	Continued
Sales Tax	Continued
Freight	
TOTAL	Continued



R.N.O. W., Inc.
8636R West National Avenue
West Allis, WI 53227

QUOTATION

Quote Number: 2018-3416
 Quote Date: Mar 6, 2018
 Page: 2

Voice: 414-541-5700
 Fax: 414-543-9797

Quoted To:

CITY OF LAKE GENEVA
 361 W. MAIN STREET
 LAKE GENEVA, WI 53147
 U.S.A.

Accepted By: _____

Sign above to accept quotation and place order

Customer Fax:

Customer ID	Good Thru	Payment Terms	Sales Rep
LAKE GENEVA WI	4/5/18	DUE ON DELIVERY	KJW

Quantity	Item	Description	Unit Price	Amount
		Gallons - Water Tank Low Level Alarm & Ind. - Spray Bar, Front - Spray Bar, Hopper Add. 7 Nozzles - High Pressure Washdown W/ 50' Hose Reel located on the curbside - Hopper Drain 6" (SS) - Hopper Sound Suppression - Hopper Dump Assist Shaker - Hand Hose, 8" Power Boom Heavy Duty Hose (Remote Engine Throttle Included) - Additional Plug In Pendant Control for Power Boom - One (1) Additional Hand Hose Extension - Aluminum Tube 4' Feet Long - One (1) 6' Tube Extensions for Hand Hose - Tube Rack for two tubes located under rear bumper - Hopper Deluge, Conical Spray - Load Weight Alarm & Indicator - Hopper Up Alarm & Indicator - Hopper Aux. Engine Screen Cover - Hopper Door Open Indicator		

Thank you for the opportunity to quote

SUBMITTED BY _____

Steven D. Krall
President

Subtotal	Continued
Sales Tax	Continued
Freight	
TOTAL	Continued



R.N.O.W., Inc.
8636R West National Avenue
West Allis, WI 53227

QUOTATION

Quote Number: 2018-3416
 Quote Date: Mar 6, 2018
 Page: 3

Voice: 414-541-5700
 Fax: 414-543-9797

Quoted To:

CITY OF LAKE GENEVA
 361 W. MAIN STREET
 LAKE GENEVA, WI 53147
 U.S.A.

Accepted By: _____

Sign above to accept quotation and place order

Customer Fax:

Customer ID	Good Thru	Payment Terms	Sales Rep
LAKE GENEVA WI	4/5/18	DUE ON DELIVERY	KJW

Quantity	Item	Description	Unit Price	Amount
		<ul style="list-style-type: none"> - Hopper W/ Remote DD Screens High Strength Stainless Steel ~LIFETIME WARRANTY~ - Low Hydraulic Level Indicator In-Cab - Air Filter Restriction Indicator - Strobe, Rear W/Guard LED (Std) - Two (2) Additional Floodlights, LED Mount Flood lights above rear door, one each corner - Paint, Standard White To Match Cab - Decal Kit - Standard Rear Backup Alarm - STANDARD- 1 Year or 1200 hours Warranty. Lifetime on the Stainless Hopper 		

Thank you for the opportunity to quote

SUBMITTED BY _____

Steven D. Krall
President

Subtotal	253,045.00
Sales Tax	
Freight	
TOTAL	253,045.00



800-381-9134
 Fax # 262-264-0725

Quote No. 022618-1A

Quotation

Customer

City of Lake Geneva DPW
 Attn: Neil Waswo
 1065 Carey Street
 Lake Geneva, WI 53147

Date: 2/26/2018

Terms: Net 30

Delivery TBD

FOB Factory

Item	Qty	Description	Unit Price	Total
	1	New 2018 Johnston Model VT651 Truck Mounted Pure Vacuum Street Sweeper With 8" Roof Mounted Swinging Boom and High Pressure Water System for Catch Basin Cleaning and Hydro Excavating Including as Standard: 8.5CY Capacity Stainless Steel Hopper with Stainless Steel Screens Pneumatic Vibrators Mounted on Screens with Controller in Cab 415 Gallon Capacity Stainless Steel Water Tank with Baffles Dual Gutter Brooms and Vacuum Pickup Heads(Street and Curbside) Gutter Broom Speed and Tilt Controls Simultaneous Sweeping for Curbside and Street Side With Over 144" Sweeping Path (2) 6' Vacuum Tubes and (1) 4' Vacuum Tube with Crown, 8" Diameter High Pressure Auto Rewind Reel with 50' of Hose with Hand Lance for Catch Basin Cleaning Cat Walk Mounted Between Cab and Sweeper Body for Storage and Accessing Auxiliary Engine (2) Rear Mounted LED Strobes and (1) Cab Mounted LED Strobe Light with Limb Guards	254,956.00	254,956.00

*Providing Customer Satisfaction
 Through Trusted Partnerships*

Subtotal
Sales Tax ()
Total

Note: Any and all shipping and sales tax will be added to this invoice.



800-381-9134
 Fax # 262-264-0725

Quote No. 022618-1A

Quotation

Customer

City of Lake Geneva DPW
 Attn: Neil Waswo
 1065 Carey Street
 Lake Geneva, WI 53147

Date: 2/26/2018

Terms: Net 30

Delivery TBD

FOB Factory

Item	Qty	Description	Unit Price	Total
		(2) Rear Mounted LED Bright White Work Lights		
		(1) Rear Mounted Color Camera System Viewed on Cab Mounted JVM (Viewable at All Times)		
		Johnston System Notes:		
		Roof Mounted Boom Includes Pendant Control With Hydraulic Up/Down and RPM Controls. Boom Swings 300 Degrees Around Chassis		
		High Pressure Water System Is Rated for 1,500 PSI at 8 GPM with Low Water Auto Shutdown		
		System Color Bright White		
		Please See Detailed Specifications For Greater Details on System Configuration		
		Options of Interest for Johnston Sweeper:		
	1	John Deere Tier III 4045 115HP @ 2,200 RPM Auxiliary Engine. Limited Numbers Available	4,680.00	4,680.00
	1	JCB Ecomax Tier 4 Final 125HP @ 2,200 RPM Auxiliary Engine	13,120.00	13,120.00
	1	Dual Gutter Broom Lateral Movement Controls	2,100.00	2,100.00
	1	Front Mounted High Pressure Spray Bar and Nozzle Mounted Spray Bars	1,390.00	1,390.00

*Providing Customer Satisfaction
 Through Trusted Partnerships*

Subtotal
Sales Tax ()
Total

Note: Any and all shipping and sales tax will be added to this invoice.



800-381-9134
 Fax # 262-264-0725

Quote No. 022618-1A

Quotation

Customer

City of Lake Geneva DPW
 Attn: Neil Waswo
 1065 Carey Street
 Lake Geneva, WI 53147

Date: 2/26/2018

Terms: Net 30

Delivery TBD

FOB Factory

Item	Qty	Description	Unit Price	Total
	1	Side Mounted (Curb and Street) Color Cameras For Viewing Gutter Brooms on JVM Monitor (All Cameras Viewable at Sametime)	1,250.00	1,250.00
		Chassis Notes		
		Johnston Sweeper Body Mounted on 2019 International Model 4003 4 x 2 Chassis Including Major Highlights: Cummins Engine 300Hp @ 2,600 RPM; Allison Automatic 2500 Series Automatic Transmission; Driver and Passenger Air Ride Seats; Remote Controlled Power Mirrors (Both Sides); Convex Mirrors Hood Mounted; Power Windows (Both Sides); Aluminum Wheels; Radio AM/FM/Clock/Bluetooth; Dualized Operator Controls Complete; Color Bright White Please See Detailed Chassis Specification for Greater Details		

***Providing Customer Satisfaction
 Through Trusted Partnerships***

Subtotal	\$277,496.00
Sales Tax ()	\$0.00
Total	\$277,496.00

Note: Any and all shipping and sales tax will be added to this invoice.



MODEL: MEGAWIND COMBO VACUUM T4
 EFFECTIVE DATE: 01/01/2018
 SUPERCEDES ALL PREVIOUS PRICE LISTS
 DEALER PRICE LIST (U.S. DOLLARS)

Purchase Order #
 Order Date:
 Delivery Date Requirement If Any:

Ship To Address:
 State Penalty Clause If Applicable:

QUANTITY	PART NUMBER	MODEL DESCRIPTION	2018 LIST PRICE	2018 EXTENDED
TIER 4				
0	1123368	MEGAWIND 10 YARD HOPPER TIER 4 (CATCH BASIN ONLY)		\$0.00
0	1123369	MEGAWIND 10 YARD HOPPER SINGLE SIDEBROOM TIER 4		\$0.00
0	1123370	MEGAWIND 10 YARD HOPPER DUAL SIDEBROOM TIER 4		\$0.00
		Tier III emissions, 10 cu. yd hopper, 36 in. (711 mm) trailing arm side broom on right hand side (SINGLE) and on both sides (DUAL), 12 inch, rear mounted vacuum hose with hydraulically operated, double articulated boom with wired pendant control, ergonomic control console, sweeper is powder coated from powder coatings chart 2003/N with powder coated gray undercarriage and including the standard features listed below.		
0	1123371	MEGAWIND 13 YARD HOPPER TIER 4 (CATCH BASIN ONLY)		\$0.00
0	1123372	MEGAWIND 13 YARD HOPPER SINGLE SIDEBROOM TIER 4		\$0.00
0	1123373	MEGAWIND 13 YARD HOPPER DUAL SIDEBROOM TIER 4		\$0.00
		Tier III emissions, 13 cu. yd hopper, 36 in. (711 mm) trailing arm side broom on right hand side (SINGLE) and on both sides (DUAL), 12 inch, rear mounted vacuum hose with hydraulically operated, double articulated boom with wired pendant control, ergonomic control console, sweeper is powder coated from powder coatings chart 2003/N with powder coated gray undercarriage and including the standard features listed below.		

-----CHASSIS-----
 10 YARD HOPPER

0	SPECIAL	M2 196" WB - GVWR 33,000 (NON STOCKED CHASSIS)	CONTACT INSIDE SALES	\$0.00
---	---------	--	----------------------	--------

13 YARD HOPPER

0	SPECIAL	M2 196" WB - GVWR 38,000 (2010 EMISSIONS) LIMITED QTY	CONTACT INSIDE SALES	\$0.00
---	---------	---	----------------------	--------

-----CHASSIS MOUNTING CHARGE-----

0	SPECIAL	M2 196" WB - ALTERATIONS (USE W/CATCH BASIN ONLY)		\$0.00
0	SPECIAL	M2 196" WB - ALTERATIONS (USE W/DUAL SWEEPER GEAR)		\$0.00
0	SPECIAL	M2 196" WB - ALTERATIONS (USE W/SINGLE SWEEPER GEAR)		\$0.00

1	4820001	PAINT CAB STANDARD WHITE		\$0.00
1	4810001	PAINT SWEEPER STANDARD WHITE		\$0.00
0	SPECIAL	SWEEPER COLOR OTHER THAN STANDARD WHITE		\$0.00

NOTE: A BODY includes the cost of Elgin standard white finish paint. It does not however, include the price of the chassis.

NOTE: One year warranty on all Elgin supplied parts and labor. Consult your Elgin dealer for full warranty details.

285,250.00

with TRUCK



MODEL: MEGAWIND COMBO VACUUM T4
 EFFECTIVE DATE: 01/01/2018
 SUPERCEDES ALL PREVIOUS PRICE LISTS
 DEALER PRICE LIST (U.S. DOLLARS)

QUANTITY	PART NUMBER	MODEL DESCRIPTION	2018 LIST PRICE	2018 EXTENDED
----------	-------------	-------------------	-----------------	---------------

STANDARD FEATURES

(Applies to the 10 Yard Hopper and 13 Yard Hopper)

1	0701417	MEGAWIND OPERATORS	STANDARD	\$0.00
1	0702259	MEGAWIND PARTS	STANDARD	\$0.00
1	0704046	JD 4045HF TR4 OPERATORS MANUAL	STANDARD	\$0.00
1	0704047	JD 4045HF TR4 PARTS BOOK	STANDARD	\$0.00
1	0701705	MACHINE DELIVERY PACKET	STANDARD	\$0.00
1	1032481	FILL HOSE, 16'8" WITH STRAINER AND COUPLING	STANDARD	\$0.00
1	0730166	BROOM MEASUREMENT RULER	STANDARD	\$0.00

Alternator, 120 amp.

Auxiliary engine:

John Deere 4045TFC03, 4 cylinder Turbocharged diesel

Horsepower: 74 HP (55 kW) at 2400 RPM

Displacement: 276 cu. in. (4.5 L)

Anti-Siphon fill

Auto Shutdown Auxiliary Engine

Backup alarm, electric

Camera, Rear View

Control console with rocker switches for all hopper functions and sweep functions (if so equipped), including memory sweep in an ergonomically designed console with full gauge package including diagnostic gauge, tachometer, engine hour meter, oil pressure indicator, coolant temperature, voltmeter and fuel level indicator, auxiliary engine RPM control, side broom down pressure controls, manual reset circuit breakers, water level gauge and warning lights for hopper "up", hopper rear door "open" and hopper "full"

Doors, fiberglass access doors provide easy service and maintenance on auxiliary engine, hydraulic and electrical system

Drive: Fluid coupling blower drive with power belt

Electronic Throttle

Hopper rear door, hydraulically opened/closed and locked/unlocked with external controls

Fuel tank, 50 gallon (189 L)

Fuel water separator for aux engine

Hydraulic oil cooler

Hydraulically controlled, double articulated boom

Hopper debris level indicator

In cab hopper dump

LED clearance lights

Spray wand

Water tank, 335 gallons

12" vacuum hose

23 GPM, triple diaphragm jetter pump



MODEL: MEGAWIND COMBO VACUUM T4
 EFFECTIVE DATE: 01/01/2018
 SUPERCEDES ALL PREVIOUS PRICE LISTS
 DEALER PRICE LIST (U.S. DOLLARS)

QUANTITY	PART NUMBER	MODEL DESCRIPTION	2018 LIST PRICE	2018 EXTENDED
-----ADDITIONAL MANUALS-----				
0	704046	JD 4045HF TR4 OPERATORS MANUAL		\$0.00
0	704047	JD 4045HF TR4 PARTS BOOK		\$0.00
0	704048	JD 4045HF TR4 TECH MANUAL		\$0.00
0	0701417	MEGAWIND OPERATORS		\$0.00
0	0702259	MEGAWIND PARTS		\$0.00
0	0702471	MEGAWIND SERVICE		\$0.00
-----ALARM-----				
0	1122644	BACK UP ALARM - PRECO		\$0.00
0	1048703	BACK UP ALARM - SMART		\$0.00
-----AUTO LUBE-----				
0	1124198	AUTO LUBE - SWEEPER		\$0.00
-----AUX ENGINE-----				
0	1120793	TURBO II PRECLEANER		\$0.00
0	1121842	SYKLONE PRECLEANER		\$0.00
0	1078204	AUXILIARY AIR FILTER RESTRICTION INDICATOR LIGHT		\$0.00
0	1122461	BATTERY DISCONNECT		\$0.00
0	SPECIAL	COLD WEATHER STARTING KIT		\$0.00
0	SPECIAL	AUXILIARY ENGINE PRE-CLEANER		\$0.00
0	1121729	BLOCK HEATER		\$0.00
-----DECALS-----				
0	1094405	RED LOGO-MEGAWIND		\$0.00
0	1096267	WHITE LOGO-MEGAWIND		\$0.00
0	1122929	SHIP DECALS AND SWOOSH LOOSE IN HOPPER		\$0.00
-----HOPPER-----				
10 YARD				
0	1105204	SS HOPPER SCREEN		\$0.00
0	1097562	LIFELINER HOPPER SYSTEM W/WARRANTY		\$0.00
0	1085864	RIGHT HAND INSPECTION DOOR		\$0.00
0	1085882	LEFT HAND INSPECTION DOOR		\$0.00
0	1085883	RIGHT HAND INSPECTION DOOR & STEP		\$0.00
0	SPECIAL	LEFT HAND INSPECTION DOOR & STEP		\$0.00
0	1094441	6" HOPPER DRAIN		\$0.00
13 YARD				
0	SPECIAL	SS HOPPER SCREEN		\$0.00
0	SPECIAL	LIFELINER HOPPER SYSTEM W/WARRANTY		\$0.00
0	1098519	6" HOPPER DRAIN		\$0.00
-----LIGHTS-----				
0	1124117	REAR ARROWBOARD LED		\$0.00
0	1124119	LED REAR HOPPER BEACON/ & GUARD WITH LED ARROWBOARD		\$0.00
-----PAINT-----				
0	4811018	PAINT SWEEPER ZINC YELLOW RAL 1018		\$0.00
0	4811023	PAINT SWEEPER TRAFFIC YELLOW RAL 1023		\$0.00
0	4811037	PAINT SWEEPER SUN YELLOW RAL 1037		\$0.00
0	4813020	PAINT SWEEPER TRAFFIC RED RAL 3020		\$0.00
0	SPECIAL	PAINT SWEEPER ANY OTHER RAL COLOR		\$0.00
0	SPECIAL	PAINT SWEEPER NON RAL COLOR		\$0.00



MODEL: MEGAWIND COMBO VACUUM T4
 EFFECTIVE DATE: 01/01/2018
 SUPERCEDES ALL PREVIOUS PRICE LISTS
 DEALER PRICE LIST (U.S. DOLLARS)

QUANTITY	PART NUMBER	MODEL DESCRIPTION	2018 LIST PRICE	2018 EXTENDED
-----SAFETY-----				
0	1048643	SLOW MOVING VEHICLE SIGN (10 YARD HOPPER ONLY)		\$0.00
0	SPECIAL	REMOVE REAR CAMERA (10 YARD ONLY)		\$0.00
0	SPECIAL	REMOVE REAR CAMERA (13 YARD ONLY)		\$0.00
0	SPECIAL	LEFT HAND SIDE CAMERA		\$0.00
----SIDE BROOM OPTIONS----				
0	1123813	SIDEBROOM TILT LEFT HAND		\$0.00
0	1123812	SIDEBROOM TILT RIGHT HAND		\$0.00
-----SWEEPER OPTIONS-----				
0	1079679	AIR PURGE		\$0.00
0	1124236	AUTO SHUTTER LEFT HAND		\$0.00
0	1124237	AUTO SHUTTER RIGHT HAND		\$0.00
0	1124238	DUAL SHUTTER RIGHT HAND		\$0.00
-----TOOL BOX/TOOL KIT----				
0	1057687	TOOL BOX W/TOOLS		\$0.00
-----WATER SYSTEM-----				
0	1036150	HYDRANT WRENCH		\$0.00
0	1032484	25' WATER FILL HOSE (ILO 16' 8")		\$0.00
0	1040094	QUICK DISCONNECT WATER FILL (STANDARD W/HOPPER DELUGE)		\$0.00
0	1059209	HOPPER DELUGE		\$0.00
0	1095701	HOSE REEL for MEDIUM PRESSURE WASHDOWN		\$0.00
0	SPECIAL	HOSE REEL for MEDIUM PRESSURE WASHDOWN (USE W/INSPECTION DOOR) (10 YARD HOPPER ONLY)		\$0.00
0	1122992	HIGH PRESSURE WASHDOWN (ILO STD JETTER PUMP)		\$0.00
0	1122713	HOSE REEL FOR HIGH PRESSURE WASHDOWN		\$0.00
0	1122714	HOSE REEL FOR HIGH PRESSURE WASHDOWN (USE W/INSPECTION DOOR)		\$0.00
0	1096051	CATCH BASIN SPRAY WAND, 4' SOILD STREAM (NOT COMPATIBLE WITH HIGH PRESSURE WASHDOWN)		\$0.00
0	1096053	CATCH BASIN SPRAY WAND, 2' ADJUSTABLE STREAM (NOT COMPATIBLE WITH HIGH PRESSURE WASHDOWN)		\$0.00
-----WANDERING HOSE EXTENSIONS-----				
0	1096358	REAR MOUNTED CATCH BASIN EXTENSION 12" DIAMETER		\$0.00
0	1096563	REAR MOUNTED CATCH BASIN EXTENSION 10" DIAMETER		\$0.00
0	1096564	FLANGE REDUCER 10" TO 8" DIAMETER		\$0.00
0	1096565	FLANGE REDUCER 12" TO 10" DIAMETER		\$0.00
-----M2 CHASSIS OPTIONS-----				
0	1070639	LED STOP/TURN/TAIL		\$0.00
0	1081188	EXTRA KEY		\$0.00
0	1081901	SPARE TIRE/WHEEL		\$0.00
0	1086636	FRONT SPRAY BAR - SINGLE		\$0.00
0	1086637	FRONT SPRAY BAR - DUAL		\$0.00
0	1123761	AUXILIARY HYDRAULIC PUMP		\$0.00
0	1090653	HORN-AIR, DUAL		\$0.00
0	SPECIAL	BATTERY DISCONNECT		\$0.00



MODEL: MEGAWIND COMBO VACUUM T4
 EFFECTIVE DATE: 01/01/2018
 SUPERCEDES ALL PREVIOUS PRICE LISTS
 DEALER PRICE LIST (U.S. DOLLARS)

QUANTITY	PART NUMBER	MODEL DESCRIPTION	2018 LIST PRICE	2018 EXTENDED
----------	-------------	-------------------	-----------------	---------------

-----M2 CHASSIS OPTIONS CONTINUED-----

0	1124199	AUTO LUBE SWEEPER/TRUCK		\$0.00
0	1093019	2 1/2 LB. FIRE EXTINGUISHER		\$0.00
0	1093020	5 LB. FIRE EXTINGUISHER		\$0.00

-----WARRANTY-----

0	EW-AIR-NA-2PL	MEGAWIND 2ND YEAR PARTS/LABOR		\$0.00
0	EW-AIR-NA-3PL	MEGAWIND 3RD YEAR PARTS/LABOR		\$0.00
0	EW-AIR-NA-4PL	MEGAWIND 4TH YEAR PARTS/LABOR		\$0.00
0	EW-AIR-NA-5PL	MEGAWIND 5TH YEAR PARTS/LABOR		\$0.00

-----FREIGHT RATES-----

NOTE: SPECIALIZED TRANSPORT EQUIPMENT IS REQUIRED FOR
 10 YARD MEGAWIND. 13 YARD IS DRIVE AWAY ONLY

0	FRT-123-001	SELF SHIPPING DOCK CHARGE		\$0.00
0	FRT-123-002	FREIGHT-IL,WI,IA,IN,MI,MN,KY		\$0.00
0	FRT-123-003	FREIGHT-TN,WV,PA,NY		\$0.00
0	FRT-123-004	FREIGHT-NH,VT,ME		\$0.00
0	FRT-123-005	FREIGHT-NEW YORK CITY		\$0.00
0	FRT-123-006	FREIGHT-ND,SD,NE,OK,KS,AR,AL,MO		\$0.00
0	FRT-123-007	FREIGHT-AZ,UT		\$0.00
0	FRT-123-008	FREIGHT-CA,NV,ID,OR,WA		\$0.00
0	FRT-123-009	FREIGHT- CHICAGO/MILWAUKEE		\$0.00
0	FRT-123-010	FREIGHT-FL,LA,TX,NM,CO,WY,MT		\$0.00
0	FRT-123-011	FREIGHT-OH,ST. LOUIS METRO		\$0.00
0	FRT-123-012	FREIGHT_MS,GA,SC,NC,VA,MD		\$0.00
0	FRT-123-013	FREIGHT - RI,DE,CT,NJ,MA		\$0.00
0	FRT-123-014	FREIGHT - LAREDO, TX		\$0.00
0	FRT-123-015	SPECIALIZED TRANSPORT EQUIPMENT		\$0.00

SUB TOTAL	\$0.00
------------------	---------------

-----DISCOUNTS-----

0	DISC-120-ADDL	ADDITIONAL DISCOUNT		\$0.00
0	DISC-120-PROMO	PROMO DISCOUNT		\$0.00

SPECIAL RFQ OPTIONS / OTHER DESCRIPTIONS

GRAND TOTAL	\$0.00
--------------------	---------------